

MOBILE ACCESS


ONE



KiLax Limited

MOBILE ACCESS

ONE




Optiki Prime



Optiki

OPTIKI SOLUTIONS

Comprehensive enterprise resources



Simple & fast @ low Budget

www.kilaxworld.com

Overview

Share Free! Share Key!

Optiki ONE is ideal for applications where flexible access control and high security is essential. It is easy to maintain and a mobile access solution to free your mind.

Optiki Technology

A HONG KONG home growth technology, mobile access key is crafted into optical coding. Each Optiki code is uniquely encrypted from up to 281 trillion combinations. A superb security mobile access control.

Why OPTIKI?

No More Physical keys! Vast & expandable

- No matter simple or comprehensive security mobile access, Optiki is available in Online or Offline configuration for diverse applications

Convenience and cost savings

- Hearty built to suit new or existing access system upgrades
- Verification is just over a second makes it ideal for vast applications
- Save operation costs and eliminate admin staff face to face handling ID Card or Biometric Registration. Distancing does it better!
- Save key card and environmental friendly, no new and replenishment card
- No lost, stolen or unauthorized ID Card, Passcodes or 3D printed facial sculpture
- Low initial budget, compatible to most access control e-locks, no local data wiring and save engineering works

Avoid sensitive privacy data


- Use of mobile technology, no sensitive biometric data is necessary, and user would not leave any trace of fingerprints, face, palm, or hand geometry to any other party

Simple but Versatility


- Engineered virtually for every electric door. Industrial access control standard for both low- or high-level system integration
- Secure access control and registered user application facilities management and automatic mobile key distribution
- Expandable in passenger elevator, check-in counter, storage lockers, mailboxes and customize resource sharing solutions. One APP for all!
- Multiple location access and control. Unlimited number of access points and visitors

MOBILE ACCESS

ONE



Reader Size



Mounting holes dimensions

Overview

Features and benefits

- Health and Safety, no radio frequency (RF) transmission ensure clean emission environment
- Hacking Protected, off-data-line hardware and no Bluetooth or RFID eliminate online or anonymous MIB hacking.
- Multiple choices of mobile applications or customised SDK

Optiki Prime APP

One simple and high efficient tool for Optiki system set up, Master and Guest access right control all at a fingertip.

- Key distributed by QR code for easy APP installation
- Guest key with validity time control and restricted for sharing
- Lightning fast APP activation for mobile access

Optiki APP

Alternative APP with a web-based admin portal on Cloud. Effective access control for registered user and premises service.

- Backend portal suitable for high floating user number
- Facilities booking, user chat, token transactions, coupon/events, promotion banner, admin notifications, in-APP payment etc.
- Offsite monitor multiple premises occupancy
- Resources sharing platform for private and business applications

Optiki SDK

Ready for native APP development, customize your facilities applications. BYO APP!

Optiki web browser key for ultra-fast visitor pass, a brand new high secure but convenient mobile access without loading an App. It will be available early 2021* in Optiki App or for SDK development.

Standalone or Fully integrated

New to Mobile Access – Standalone system

Optiki ONE is a perfect entry level product for one new to mobile access. It is crafted for standalone use suit most SME; easy access control in private office, co-workspace or a landlord to have multiple location access management.

Conversion from existing keypad or ID Card system is easy and superfast. Smarter in 15 minutes!

For full integration with an already owned access control system is readily available. Please contact us for more.

MOBILE ACCESS

ONE

MODEL
Description

Verification time
Communications
Inputs
Outputs

Dimensions(H x W x D)
Power requirements
Weight
Temperature
Humidity

OPTIKI ONE (201)
OPTIKI mobile access
(Unlimited Users)
1 to 1.5 second
OPTIKI
Standard OPTIKI
Door control: Lock output
(Default Normal Open/NO)
Optional RS485 or Wiegand 26 bit
86 x 42 x 17.5 mm
6 - 12 VDC
39g without wall plate
-10 to +60 deg C.
40%-80%

Mobile & App

Mobile APP	: Optiki/ Optiki Prime (iOS & Android)
Mobile Operation System	: Apple iOS (ver. 12 or later) Android (ver. 6.0 or later)
Screen type	: Full HD 256 Colour Screen or eqv.
Screen Intensity	: 100% (App Auto)
Screen Protector	: Not recommend with anti-spy or colour filter

Product performance might be different according to mobile brand, model and configuration condition.

Mounting

